



VISIONHITECH PRODUCT GUIDE 2015

- Network products
- HD Analogue (TVI, AHD)
- HD-SDI (One cable solution)



www.visionhitechsecurity.com


Full HD
1080

ONVIFS

Why Visionhitech IP solution?

Smart Focus

- Automatic focus setting by one click
- Quick / Easy / Exact Focus
- Remotely Adjustable
- Max. Motorized Autofocus Zoom 5~60mm



- Compact and Stylish Design



- Onboard Storage (SD/SDHC card)



- PLUG & PLAY With NVR (POE, AUTO configuration)



- Enhanced REAL WDR



CONVENTIONAL

VISIONHITECH'S WDR


- Long and Clear night time Visibility by Highpower LED



CONVENTIONAL IR-LED

INTELLIGENT IR-LED


- Smart Defog



ORIGINAL (Low Contrast)

DEFOG ON (High Contrast)


- 3D/2D DNR (Noise Reduction)



CONVENTIONAL

3DNR

- Privacy zone Masking



MOSAIC EFFECT

- Open Platfor IP Video (ONVIF S)



ACE SERIES

VNN15151TR

* 2 Megapixel Ace IR Bullet Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * BLC, ICR
- * IR 20M, IP67
- * POE/DC12V

VNI20151TR

* 2 Megapixel Ace IR Dome Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * BLC, ICR
- * IR 20M, Indoor
- * POE/DC12V

VNF10151TR

* 2 Megapixel Ace Flat Armor Dome Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * BLC, ICR
- * IR 20M, Outdoor, IP66
- * Digital PTZ
- * POE/DC12V

VR04EP

* Plug & Play PoE NVR



- * 4ch Plug & Play w/PoE
- * PoE (4ch)
- * Live/Rec : 120fps/1080p
- * Local monitoring (HDMI, VGA)
- * H.264, 1x SATA HDD
- * 1u case

VN7XSM2Ti

* 2 Megapixel IR Bullet Camera



Smart Focus

- * Full HD 1080p (25/30p)
- * 5~60mm (12x) SmartFocus
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 70M, IP67
- * POE/DC12V

VN6XSM2Ti

* 2 Megapixel IR Bullet Camera



Smart Focus

- * Full HD 1080p (25/30p)
- * 3~10,5mm (3,5x) SmartFocus
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 30M, IP67
- * POE/DC12V

VN200SM2Ti

* 2 Megapixel IR Bullet Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Outdoor, IP67
- * POE/DC12V

VN10M2

* 2 Megapixel IR Bullet Camera



- * Full HD 1080p (25/30p)
- * 6mm Megapixel board lens
- * Enhanced WDR performance
- * 2+ 2+3DNR, Defog, ICR
- * IR 20M, IP67
- * POE/DC12V

VDA80SM2Ti-IR

* 2 Megapixel IR Vandal Dome Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Vandalproof, IP66
- * POE/DC12V

VDA80SM2Ti-VIR

* 2 Megapixel IR Vandal Dome Camera



- * Full HD 1080p (25/30p)
- * 2,8~11mm VF Megapixel lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Vandalproof, IP66
- * POE/DC12V

VDA101SM2Ti-IR

* 2 Megapixel IR Vandal Dome Camera



Smart Focus

- * Full HD 1080p (25/30p)
- * 3~10,5mm (3,5x) SmartFocus
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 30M, Vandalproof, IP66
- * POE/DC12V

VD102SM2Ti-IR

* 2 Megapixel IR Dome Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Indoor
- * POE/DC12V

VD102SM2Ti-VIR

* 2 Megapixel IR Dome Camera



- * Full HD 1080p (25/30p)
- * 2,8~11mm VF Megapixel lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Indoor
- * POE/DC12V

VD80SM2Ti-IR

* 2 Megapixel IR Dome Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Indoor
- * POE/DC12V

VD80SM2Ti-VIR

* 2 Megapixel IR Dome Camera



- * Full HD 1080p (25/30p)
- * 2,8~11mm Megapixel VF lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Indoor
- * POE/DC12V

VD10M2

* 2 Megapixel IR Dome Camera



- * Full HD 1080p (25/30p)
- * 4mm Megapixel board lens
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IR 20M, Indoor
- * POE/DC12V

VPD202PM2Ti-IR

* 2 Megapixel 20x IR PTZ Camera



- * Full HD 1080p (25/30p)
- * IR 150M, 12 sync with Zoom (10 levels)
- * F4,7~94mm (20x), 12x Digital
- * WDR (x128)
- * IP66, Two way Audio
- * DC12V/5A

VPD200PM2Ti

* 2 Megapixel 20x PTZ Camera



- * Full HD 1080p (25/30p)
- * F4,7~94mm (20x), 32x Digital
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IP66
- * POE/DC12V/5A

VPD101PM2Ti-O

* 2 Megapixel 10x Mini PTZ Camera



- * Full HD 1080p (25/30p)
- * F5,1~51mm (10x), 32x Digital
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * IP66
- * POE/DC12V/3A

VC59SM2Ti

* 2 Megapixel Box Camera



- * Full HD 1080p (25/30p)
- * Enhanced WDR performance
- * 2+3DNR, Defog, ICR
- * Indoor, Two Way Audio
- * POE/DC12V

VDA50SMTi

* 1,3 Megapixel HD Slim Vandal Dome Camera



- * HD 720p (25/30p)
- * 3mm Megapixel board lens
- * Enhanced WDR performance
- * 2+3DNR, Defog
- * Excellent Low Light sensitivity
- * POE/DC12V



**Best fit
For vehicle surveillance.**

VHi

* 2 Megapixel Covert Camera



- * Full HD 1080p (25/30p)
- * 3,7mm Megapixel Pinhole lens
- * Enhanced WDR performance
- * 3DNR, Defog, 5M Cable
- * Audio I/O, Alarm I/O
- * POE/DC12V



NVS202

* 1ch Video Server (960H)



- * 1ch (Encoder)
- * Up to 25/30fps@960H
- * Two way Audio, RS-485
- * Micro SD slot
- * POE/DC12V


Vision NVR C/S Software

* Professional VMS



- * Server/Up to 64ch Recording
- * Client
 - Up to 64ch Realtime Display
 - Up to 16ch Search/Playback
- * Event Monitoring/E-map
- * Panorama PTZ control

NVR CS Components



VR04EP

* Plug & Play PoE NVR



- * 4ch Plug & Play w/PoE
- * PoE (4ch)
- * Live/Rec : 120fps/1080p
- * Local Monitoring (HDMI, VGA)
- * H.264, 1x SATA HDD
- * 1u case

VR08EP

* Plug & Play PoE NVR



- * 8ch Plug & Play w/PoE
- * PoE (8ch)
- * Live/Rec : 240fps/1080p
- * Local Monitoring (HDMI, VGA)
- * H.264, 4x SATA HDD
- * 1.5u case

VR16EP

* Plug & Play PoE NVR



- * 16ch Plug & Play w/PoE
- * PoE (8ch)
- * Live/Rec : 480fps/1080p
- * Local Monitoring (HDMI, VGA)
- * H.264, 4x SATA HDD
- * 1.5u case

VR04SP

* Plug & Play PoE NVR



- * 4ch Plug & Play w/PoE
- * PoE (4ch)-Option
- * Live: 120fps/1080p, Rec: 120fps/1080p
- * Local Monitoring (HDMI, VGA)
- * H.264, 2x SATA HDD

VR08SP

* Plug & Play PoE NVR



- * 8ch Plug & Play w/PoE
- * PoE (4ch)-Option
- * Live: 240fps/720p, Rec: 240fps/1080p
- * Local Monitoring (HDMI, VGA)
- * H.264, 3x SATA HDD

VR16SP

* Plug & Play PoE NVR



- * 16ch Plug & Play w/PoE
- * PoE (4ch)-Option
- * Live: 480fps/720p, Rec: 480fps/1080p
- * Local Monitoring (HDMI, VGA)
- * H.264, 3x SATA HDD

VR32SP


* Plug & Play PoE NVR



- * 32ch Plug & Play w/PoE
- * PoE (8ch)-Option
- * Live : 960fps/720p, 480fps/1080p
- * Rec : 960fps/720p, 480fps/1080p
- * H.264, 6x SATA HDD
- * Raid 5/ NAS Support

Add on values over conventional HD cameras with Visionhitech's TVI technologies

- Support extremely high frame rate of 1080p@60fps FHD Resolution
- Realization of Full HD video transmission up to 600M over Coaxial cable, up to 350M over UTP without image degradation
- Ensure maximum Real WDR (x128 dB) for high contrast area surveillance
- Realtime 30fps live view & recording with 3DNR&WDR in operation
- Superior low light sensitivity at less noise greatly reduces HDD space
- High Light Compensation (HLC) for vehicle's plate recognition with Headlight on.



Remarkable features on Visionhitech's TVI DVR

Extensive Hybrid TVI/ HD-SDI/ Analogue

- * Automatic detection of multiple camera resolutions (1080p/720p/960H/D1)

Extraordinary performances out of Super Powerful SoC

- * Real-time live and recording frame rates with Full HD Video (1080p/60fps) for all channels
- * Preserve reliable forensic evidences through real-time all channel recordings in Full HD live video
- * Individual frame rate and streaming adjustment (H,264 / MJPEG) per channel
- * Extremely low streaming latency
- * 2 way full duplex audio



Highly enhanced failover prevention technologies by adopting

- * User configurable dual recording (advanced mirroring)
- * Dual Indexed file system (Extending the life cycle of HDD by the EVEN STRESS on the whole sectors)



Extensive Storage capacity

- * ESATA Storage extension for additional 5 x HDDs



Smart Health checking (Fan speed/ failure, Temperature, HDD)

- * Security control set-up for the access on cameras, live monitoring, playback, copy etc.



Plenty of useful SMART features

- * Panoramic search
- * Direct AVI formation for Copy at search/ playback
- * Adjustable resolution for different monitor (HDMI, VGA)
- * Date/ Time adjustment by DST/NTP
- * Linear D-zooming for live and playback



Auto port forwarding (uPNP), DDNS

Web based remote setup and view

- * Remote Client viewer SW support
- * Remotely configurable Resolution/ Image quality/ Frame rate etc
- * Push video/ alarm to Smartphone (iOS/Android)



Analog HD / TVI Products

One place has them all **VISION**

Entry Models

* POWER / DC 12V

VTN71153ZR

* Full HD TVI IR VF Bullet Camera



- * 1080p (25/30p), 720p (50/60p)
- * 6~50mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR
- * IR 50M * Optional : 6~22mm VF MP lens

VTN31153ZR

* Full HD TVI IR VF Bullet Camera



- * 1080p (25/30p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR
- * IR 30M

VTN11151ZR

* Full HD TVI Compact IR Bullet Camera



- * 1080p (25/30p), 720p (50/60p)
- * 3.6mm Megapixel Lens, ICR
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR
- * IR 15M * Optional : Concealed Bracket

VTN01153ZR

* Full HD TVI IR VF Bullet Camera



- * 1080p (25/30p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR
- * IR 40M

VTI80153ZR

* Full HD TVI IR VF Dome Camera



- * 1080p (25/30p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR
- * IR 20M * Optional : Non IR /3.6mm lens

VTV80153ZR

* Full HD TVI IR VF Vandal Dome Camera



- * 1080p (25/30p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, ICR
- * WDR
- * IR 20M

VTB59150Z

* Full HD TVI Box Camera



- * 1080p (25/30p), 720p (50/60p)
- * C/CS Mount
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR

VTP10155Z

* Full HD TVI Mini PTZ Camera



- * 1080p (25/30p), 720p (50/60p)
- * 10x (Optical) / 32x (Digital)
- * Full HD w/350m over UTP
- * 2+3DNR, Defog, HLC
- * WDR

High-end Models

* POWER / DC 12V

VTN22251ZR

* Full HD TVI IR Bullet Camera



- * 1080p (50/60p), 720p (50/60p)
- * 3.6mm Megapixel Lens, ICR
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps * IR 20M

VTN01253ZR

* Full HD TVI IR VF Bullet Camera



- * 1080p (25/30p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps * IR 40M

VTB59250Z

* Full HD TVI Box Camera



- * 1080p (50/60p), 720p (50/60p)
- * C/CS Mount
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps

VTB01255Z

* 2 Megapixel IR Dome Camera



- * 1080p (25/30p), 720p (50/60p)
- * x10 AF Zoom (5.1~51mm)
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps

VTI80251ZR

* Full HD TVI IR Dome Camera



- * 1080p (50/60p), 720p (50/60p)
- * 3.6mm Megapixel Lens, ICR
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps
- * IR 20M * Optional : Non IR / 3.6mm lens

VTV80251ZR

* Full HD TVI IR Vandal Dome Camera



- * 1080p (50/60p), 720p (50/60p)
- * 3.6mm Megapixel Lens, ICR
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps
- * IR 20M

VTV80253ZR

* Full HD TVI IR VF Vandal Dome Camera



- * 1080p (50/60p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps
- * IR 20M

VTV01253ZR

* Full HD TVI IR VF Dome Camera



- * 1080p (50/60p), 720p (50/60p)
- * 2.8~12mm VF MP lens, ICR
- * Full HD w/350m over UTP
- * Super low light sensitivity
- * Smart Auto 3DNR, Defog, HLC
- * Real WDR / 30fps
- * IR 35M

TVI DVR

* POWER / DC 12V

VD04T

* 4CH TVI Real time Standalone DVR



- * 120fps@1080p recording, 120fps@1080p playback (4CH)
- * eSATA for storage extension (up to 5 more HDD)
- * Advanced mirroring(dual recording) built in Dual Indexed file system
- * 2x SATA HDD
- * DC12V/3A

VD08T

* 8CH TVI Real time Standalone DVR



- * 240fps@1080p recording, 240fps@1080p playback (8CH)
- * eSATA for storage extension (up to 5 more HDD)
- * Advanced mirroring(dual recording) built in Dual Indexed file system
- * 2x SATA HDD
- * DC12V/3A

VD16T

* 16CH TVI Real time Standalone DVR



- * 480fps@1080p recording, 480fps@1080p playback (16CH)
- * eSATA for storage extension (up to 5 more HDD)
- * Advanced mirroring(dual recording) built in Dual Indexed file system
- * 3x SATA HDD
- * DC12V/5A

Analog HD / AHD Products

One place has them all **VISION**

720p Models

* POWER / DC 12V

VAN51141ZR

* AHD Compact IR Bullet Camera



- * 720p / 30fps
- * 3.6mm Megapixel Lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * IP67

VAN61143ZR

* AHD IR VF Bullet Camera



- * 720p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 30M IR Distance
- * Focus & Zoom External Adjust
- * Dual Video output (AHD&CVBS) * IP67

VAN11141ZR

* AHD Compact IR Bullet Camera



- * 720p / 30fps
- * 3.6mm Megapixel Lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * IP67

VAN01143ZR

* AHD IR VF Bullet Camera



- * 720p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 40M IR Distance
- * Focus & Zoom External Adjust
- * IP67

VAB59140Z

* AHD Box Camera



- * 720p / 30fps
- * C/CS Mount
- * D-WDR, 3DNR, Defog
- * Dual Video output (AHD&CVBS)

VAI80143ZR

* AHD IR VF Indoor Dome Camera



- * 720p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * Dual Video output (AHD&CVBS)
- * Optional : VF Non IR / 3.6mm Lens

VAV80143ZR

* AHD IR Vandal Dome Camera



- * 720p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * Dual Video output (AHD&CVBS)
- * IP66

VAV01143ZR

* AHD IR VF Dome Camera



- * 720p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 35M IR Distance
- * Focus & Zoom External Adjust

1080p Models

* POWER / DC 12V

VAN51151ZR

* AHD Compact IR Bullet Camera



- * 1080p / 30fps
- * 3.6mm Megapixel Lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * IP67

VAN61153ZR

* AHD IR VF Bullet Camera



- * 1080p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 30M IR Distance
- * Focus & Zoom External Adjust
- * Dual Video output (AHD&CVBS) * IP67

VAN22151ZR

* AHD Compact IR Bullet Camera



- * 1080p / 30fps
- * 3.6mm Megapixel Lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * IP67

VAN22153ZR

* AHD IR VF Bullet Camera



- * 1080p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * Dual Video output (AHD&CVBS)
- * IP67

VAB59150Z

* AHD Box Camera



- * 1080p / 30fps
- * C/CS Mount
- * D-WDR, 3DNR, Defog
- * Dual Video output (AHD&CVBS)

VAI80151ZR

* AHD IR Indoor Dome Camera



- * 1080p / 30fps
- * 3.6mm Megapixel Lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * Optional : Non IR

VAI80153ZR

* AHD IR VF Indoor Dome Camera



- * 1080p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * Dual Video output (AHD&CVBS)
- * Optional : Non IR

VAV80153ZR

* AHD IR VF Vandal Dome Camera



- * 1080p / 30fps
- * 2.8~12mm VF MP lens, ICR
- * D-WDR, 3DNR, Defog
- * 20M IR Distance
- * Dual Video output (AHD&CVBS)
- * IP66

1080p AHD DVR (Compatible with 720p camera)

* POWER / DC 12V

VD04AE

* 4CH 1080p AHD DVR



- * 4CH AHD DVR
- * Playback : 1080p/15fps / 720p/30fps
- * Video out : 1 ch VGA, 1ch HDMI
- * Audio I/O (4/1)
- * Equalizer built-in
- * DC12V/2A

VD08AE

* 8CH 1080p AHD DVR



- * 8CH AHD DVR
- * Playback : 1080p/15fps / 720p/30fps
- * Video out : 1 ch VGA, 1ch HDMI
- * Audio I/O (4/1)
- * Equalizer built-in
- * DC12V/2A

VD16AE

* 16CH 1080p AHD DVR



- * 16CH AHD DVR
- * Playback : 1080p/15fps / 720p/30fps
- * Video out : 1 ch VGA, 1ch HDMI
- * Audio I/O (6/1) / Alarm I/O (4/1)
- * Equalizer built-in
- * DC12V/2A

HD-SDI / One cable Solution

One place has them all **VISION**

"Beyond Extension®" HD-SDI technology 3-in-1 Coax (P&CoC)

- Transmit Full HD video, power and data over Coaxial cable up to 1.3km
- Max. transmission distance : 400m (5C-HFBT/1080p 30fps)
- Uncompressed high quality Full HD video with full frame rate
- Camera Power supply through one Coax cable
- Zoom / Focus, OSD control ,Firmware upgrade through one Coax cable



- Patented intelligent IR protection technology



CONVENTIONAL IR-LED



INTELLIGENT IR-LED

- Enhanced WDR performance



CONVENTIONAL



Visionhitech' s WDR

- Defog



ORIGINAL (Low Contrast)




DEFOG ON (High Contrast)

- 2DNR/3DNR (Noise Reduction)



CONVENTIONAL



3DNR

- Privacy Zone Masking (8 zones)



MOSAIC EFFECT

- Smart Focus

Smart Focus



VN6XSFHD2-P&CoC

* HD-SDI P&CoC Night Vision Camera



Smart Focus

- * 1080p (25/30p), 720p (25/30/50/60p)
- * 3.5x (3~10.5mm) Smart Focus,
- * True D/N (ICR)
- * Enhanced WDR performance
- * 2+3DNR, Defog
- * IR 20M, IP67 * 48VDC

VDA101SFHD2-SFIR -P&CoC

* HD-SDI P&CoC IR Vandalproof Dome Camera



Smart Focus

- * 1080p (25/30p), 720p (25/30/50/60p)
- * 3.5x (3~10.5mm) Smart Focus,
- * True D/N (ICR)
- * Enhanced WDR performance
- * 2+3DNR, Defog
- * IR 30M (Hi-Power LED), IP67 * 48VDC

VD80SFHD2-V11IR-P&CoC

* HD-SDI P&CoC IR Indoor Dome Camera



- * 1080p (25/30p), 720p (25/30/50/60p)
- * 2.8~11mm Varifocal DC Iris Lens,
- * True D/N (ICR)
- * Enhanced WDR performance
- * 2+3DNR, Defog
- * IR 20M * 48VDC

VC59SFHD2-P&CoC

* HD-SDI P&CoC Box Camera




- * 1080p (25/30p), 720p (25/30/50/60p)
- * Enhanced WDR performance
- * 2+3DNR, Defog
- * Indoor
- * 48VDC

VHR-A1 / VHR-A4 / VHR-A8

* P&CoC Receiver



System configuration



- * 400M(5C-HFBT), 200M(3C-2V) Transmission
- * Power over Coax : Max 12W
- * VHR-A1 : 1 x EX-SDI or HD-SDI in / 1 x HD-SDI out
- * VHR-A4 : 4 x EX-SDI in / 4 x HD-SDI out
- * VHR-A8 : 8 x EX-SDI in / 8 x HD-SDI out
- * EX-SDI In / Output, DC48V Input (PoC), RS-485 Input (CoC)
- * LED display for Power & Link (Status)

VISION

Visionhitech Co, Ltd.
Vision Bldg., 31 Bucheon-ro 36 beongil, Wonmi-gu,
Bucheon-si, Gyeonggi-do, 420-010 Korea
Tel : +82 (0)32 610 7811 Fax : +82 (0)32 668 3113
Email : vht@visionhitech.co.kr
URL : http://www.visionhitechsecurity.com

* Specifications (and design) are subject to change without prior notice.
* R.No. 2015-V3

Distributed by